

# GURU NANAK DEV UNIVERSITY, AMRITSAR

(Established by the State Legislature Act No. 21 of 1969 and  
University with Potential for Excellence recognized by UGC)

(Engineering Department)

Registered Post

No. ....  
Dated. ....

## QUOTATION NOTICE

Sealed quotations are hereby invited by the undersigned for the supply of the following items. The quotations should reach the office of the undersigned on or before **08.09.2025** upto 4:00 pm which would be opened in the presence of the quotees or their authorized representatives, who may like to be present. **The quotations will be sent by Regd./Speed Post or by courier Post.**

**Time Limit :- 30 days.**

Sr. No	Items name	Quantity
1.	<b>Purchase of Equipment for maintenance Section within GNDU Campus, Amritsar</b>	
a)	Small Angle Grinder 4" ✓	03 Nos. ✓
b)	Small Angle Grinder 5" ✓	01 No. ✓
c)	Router Power Input: 1300W ✓	01 No. ✓
d)	Router Power Input: 550W ✓	01 No. ✓
e)	Roteri Hammer ✓	01 No. ✓
f)	Table Saw ✓	01 No. ✓
g)	Jig Saw ✓	01 No. ✓
h)	Random Orbit Sanders ✓	01 No. ✓
i)	BT Grinders ✓	01 No. ✓
j)	Impact Drill ✓	02 No. ✓

**Note :-** Detail specifications are attached. ✓

### Terms & Conditions :


- 1 While quoting the rates, brand name and model of item to be supplied should specifically be mentioned.
- 2 The rates quoted should be nett inclusive of Octroi, Excise Duty, Packing & Forwarding, Freight, Local carriage etc on F.O.R. Guru Nanak Dev University Campus, Amritsar.
- 3 GST, as applicable at the time of supply, shall be payable extra.
- 4 Words "Quotation due on **08.09.2025** for Purchase of "Equipment for maintenance Section" may be noted on the top of the envelop.
- 5 The undersigned does not bind himself to accept the lowest or any quotation and reserves to himself the right of accepting the whole or part of the quotation and the quotee shall be bound to perform the same at the quoted rates.
- 6 Incharge, Engineering Department reserves the right to reject or accept any quotation or all quotations.
- 7 The bidder/supplier/Firm must have a valid GST registration number.
- 8 Quantities can be increased or decreased as per requirement.

- 9 Product shall be got approved from the Competent Authority/Engineer-in-charge before supplying the material.
- 10 If the due date falls on a holiday, then the quotation will be received on the next working day.
- 11 Variation in size & shape shall be applicable as per specification/ISI code.
- 12 **CONDITIONAL QUOTATIONS SHALL NOT BE ENTERTAINED.**
- 13 Before filling his tender/Quotation the contractor shall visit the site/store and satisfy himself as to the conditions prevalent there especially regarding accessibility to the site, nature and extent of the ground, working conditions, stacking of materials installation of tools and plants etc., accommodation and movement of labour, supply of water and power for satisfactory completion of the works contract. No claim, whatsoever on such accounts shall be entertained by the department in any circumstances.
- 14 No advance payment shall be made. 100% of the payment will be made after supply the material to the satisfaction of the competent authority.
- 15 The warranty period should be clearly mentioned on the warranty certificate/document.
- 16 Delay / loss in postal transit or due to any other reasons will not be University's responsibility.
- 17 The University will not responsible for accidental opening of the covers that are not properly superscribed and sealed before the time scheduled for opening.
- 18 Authorized signatory should sign on all the pages. Bids/Quotation without authorized signatures or seal of the firm shall be rejected.
- 19 All bidders/Quotees are legally bound to comply with the provisions/clauess/conditions of the standard bidding document/ F1 Form of the GNDU, failing which the action as the university may find fit, shall be taken against the bidders/Quotees.
- 20 In case of dispute, legal matter, if any shall be subjected to Amritsar Jurisdiction only.
- 21 The Delivery of Material shall be made within time period as mentioned above from issue of supply order, failing which the order can be withdrawn.
- 22 The offer shall remain open for acceptance for a period of NINETY days from the date of opening of the quotation.
- 23 In case the lowest bidder commits mistakes or fails to comply with the terms and conditions, or fails to supply the product as per specification, the matter will be considered by committee constituted by the competent authority for appropriate action viz forfeiting of EMD, Blacklisted the firm or any other action deemed fit by the committee and the decision of committee will be binding on the L-1 firm/ lowest bidder.
- 24 The University reserves the rights to cancel the order if it is found at any later stage that the supply is not being made as per specification & satisfaction and the payment shall not be made for the received goods.
25. In case of any mishappening /damage to material and supplies during the carriage of goods the supplier has to replace it with new supplies immediately at his own risk. The Guru Nanak Dev University, Amritsar will not be liable to any type of losses in any form.




Head,

Engineering Department,  
Guru Nanak Dev University,  
Amritsar



22/8/25



22/8





**NIQ for Purchase of Equipments Required for Maintenance Section within Guru Nanak Dev University Campus Amritsar.**

Approx Cost : - To be Quoted by the Firm

Time Limit :- One Month



Sr. No	Item	Description	Qty	Unit	Rate	Amount (Rs.)
1	MR	<b>Small Angel Grinder 4"</b> Technical Specifications HSN : 84672900 Power input : 800 W Disc Diameter : 100 mm No Load Speed: 11,000 rpm Spindle diameter : M 10 Weight : 1.7 Kg <b>Scope of Supply</b> Auxiliary handle , Guard, Round nut, Pin Spanner, Calmping flange, 2 cutting weels, 1 Grinding weel	3	Nos	To be Quoted by the Firm	To be Quoted by the Firm
2	MR	<b>Small Angel Grinder 5"</b> Technical Specifications HSN Code : 84672900 Power input : 1,800 W No Load Speed: 11,500 rpm Grinding Spindle thread M 14 Disc Diameter : 125mm Weight Without Cable : 2.5 Kg <b>Scope of Supply</b> Wrench, Protective gurad, Auxiliary handle.	1	Nos	To be Quoted by the Firm	To be Quoted by the Firm
3	MR	<b>Router</b> <b>Technical Specifications</b> HSN Code : 84672900 Power input : 1,300 W No Load Speed: 11,000 - 28000rpm Bit holder 6-8.0 m Router bit diameter 40 mm Weight : 3.5 Kg <b>Scope of Supply</b> Wrench, Parallel guide, Template guide, Dust extraction Dust extraction adapter, centering pin, Guide roller, collet 8mm, collet 6mm	1	Nos	To be Quoted by the Firm	To be Quoted by the Firm

*E*

*Shiv*

*RF*

4	MR	<b>Router</b> Technical Specifications HSN Code : 84672900 Power input : 550W No Load Speed: 33,000rpm Bit size: 6/1/4"mm Weight : 1.4 Kg <b>Scope of Supply</b> Parallel guide,Roller guide, Template guide, Spinner,Straight bit	1	Nos	To be Quoted by the Firm	To be Quoted by the Firm
5	MR	<b>Roteri Hammer 1-2 Kg</b> <b>Technical Specifications</b> HSN Code : 84672100 Reted input Power :720W Impact Energy 2 J Impact rate at rated speed :0-4,800 bpm drilling diameter concrete hammer drill bit : 4-22mm Max.drilling diameter in (metal/Wood/ Concrete) 13/30/22mm Tool holder :SDS Plus Weight : 2.3 Kg <b>Scope of Supply</b> Carrying Case	1	Nos	To be Quoted by the Firm	To be Quoted by the Firm
6	MR	<b>Table Saw</b> <b>Technical Specifications</b> HSN Code : 8467200 Max Cutting Capacity on the left : 255mm Incline setting : 47 L/2 R Power : 1800 W Saw blade diameter : 254 mm Table size : 642*634mm <b>Scope of Supply</b> Wood disc	1	Nos	To be Quoted by the Firm	To be Quoted by the Firm
7	MR	<b>Jig Saw</b> <b>Technical Specifications</b> HSN Code : 8467200 Power input 500 W Stroke rate at no load : 800-3,100spm Cutting depth : 68mm Weight : 2.08 Kg <b>Scope of Supply</b> Wood blade,1, Allen Key	1	Nos	To be Quoted by the Firm	To be Quoted by the Firm


8	MR	<b>Random Orbit Sanders</b> <b>Technical Specifications</b> HSN Code : 84672900 Power input 710 W No-Load Speed : 18,000rpm Recess : 9mm Cutting Width : 82mm Max Cutting,depth : 2.6mm Weight : 2.8 Kg <b>Scope of Supply</b> Dust bag, Parallel guide Auxiliary blade	1	Nos	To be Quoted by the Firm	To be Quoted by the Firm
9	MR	<b>BT Grinders</b> <b>Technical Specifications</b> HSN Code : 84672900 Power input 350 W No Load Speed : 3,000rpm Disc diameter 150mm Grinding disc Width: 20mm Grinding disc bore : 20mm Weight : 10 Kg <b>Scope of Supply</b> Grinding Wheel, Normal grit, Grit 24 Grinding Wheel ,Normal grit, Grit 60	1	Nos	To be Quoted by the Firm	To be Quoted by the Firm
10	MR	<b>Impact Drill</b> <b>Technical Specifications</b> HSN Code : 84672100 Rated Input Power : 600W No Load Speed : 0 - 2800 rpm Impact rate at no-load speed :0-44800 bpm Chuck Capacity : 13mm Weight : 1.8 Kg Rated Torque : 1.8 Nm <b>Scope of Supply</b> Auxiliary handle,Depth gauge,keyed chuk 13mm	2	Nos	To be Quoted by the Firm	To be Quoted by the Firm

**Terms & conditions :-**

- 1 Rates Quoted should be FOR Guru Nanak Dev University Campus Amritsar.
- 2 Validity of rates should be 3 months after the supply order.
- 3 The rates quoted should be nett inclusive of Octroi, Excise Duty, Packing & Forwarding, Freight, Local Carriage etc on F.O.R. Guru Nanak Dev University Campus Amritsar.
- 4 GST as Applicable at the time of Supply Shall be Payable extra.
- 5 5% Security ( of total bill amount shall be withheld for a period of six months against defect/short comint arisen after completion of Supply.




- 6 Quantities can be increased or decreased as per requirement.
- 7 Sample shall be got approved from the competent Authority/Engineer-in-Charge before supply the Equipments.
- 8 Conditional Tender/Quotation will not be entertained.
- 9 The undersigned does not bind himself to accept the lowest or any Tender/Quotation and reserve to himself the right of accepting the whole or part of the Tender/Quotation and the quotee shall be bound of perform the same at the quoted rates.
- 10 Head Construction Deptt reserve the right to reject or accept any Quotation/Tender or all quotations/Tenders.
- 11 Special firm dealing with Similar work/ Supply and having GST Number can quote this tender.
- 12 The Warranty/Gurantee should be clearly mentioned at time of submission of bid and at the time of supply warranty/ Gurantee certificate/ Document will be provide by the Bidder/Firm.
- 13 While Quoting the rates , Brand Name and model of Item to Supplied should specifically be mentioned.
- 14 Before filling his tender/Quotation the contractor shall visit the site/store and satisfy himself as to the conditions prevalent there especially regarding accessibility to the site, nature and extent of the ground, working conditions, Stacking of materials installation of tools and plants etc., accomidation and movement of labour, supply of water and power satisfactory completion of the works contract. No claim whatsoever on such accounts shall be entertained by the department in any circumstances.
- 15 The Delivery of Material shall be made within time period as mentioned above from issue of supply order, failing which the order can be withdrawn.
- 16 In case of any mishappening/damage to material and supplies during the carriage of goods the supplier has to replace it with new supplies immediately at his own risk. The Guru Nanak Dev University, Amritsar will not be liable ot any type of losses in any form.
- 17 No Advance Payment shall be made . 100 % of the payment will be made after supply the material to the satisfaction of the competent authority.



**Head , Construction Department**

Guru Nanak Dev University

Amritsar



## List of Preferred Makes for Equipments Required for Maintenance Section .

Sr. No	Description	Approved Make
1	<b>Small Angel Grinder 4"</b> Technical Specifications HSN : 84672900 Power input : 800 W Disc Diameter : 100 mm No Load Speed: 11,000 rpm Spindle diameter : M 10 Weight : 1.7 Kg <b>Scope of Supply</b> Auxiliary handle , Guard, Round nut, Pin Spanner,Calmping flange, 2 cutting weels, 1 Grinding weel	Make :- Bosch,Makita, Karcher
2	<b>Small Angel Grinder 5"</b> Technical Specifications HSN Code : 84672900 Power input : 1.800 W No Load Speed: 11,500 rpm Grinding Spindle thread M 14 Disc Diameter : 125mm Weight Without Cable : 2.5 Kg <b>Scope of Supply</b> Wrench,Protective gurad, Auxiliary handle.	Make :- Bosch,Makita, Karcher
3	<b>Router</b> <b>Technical Specifications</b> HSN Code : 84672900 Power input : 1,300 W No Load Speed: 11,000 - 28000rpm Bit holder 6-8.0 m Router bit diameter 40 mm Weight : 3.5 Kg <b>Scope of Supply</b> Wrench,Parallel guide, Template guide, Dust extraction Dust extraction adapter, centering pin. Guide roller. collet 8mm.collet 6mm	Make :- Bosch,Makita, Karcher
4	<b>Router</b> Technical Specifications HSN Code : 84672900 Power input : 550W No Load Speed: 33,000rpm Bit size: 6/1/4"mm Weight : 1.4 Kg <b>Scope of Supply</b> Parallel guide,Roller guide, Template guide, Spinner,Straight bit	Make :- Bosch,Makita, Karcher


5	<b>Roteri Hammer 1-2 Kg</b> <b>Technical Specifications</b> HSN Code : 84672100 Rated input Power : 720W Impact Energy 2 J Impact rate at rated speed : 0-4,800 bpm drilling diameter concrete hammer drill bit : 4-22mm Max.drilling diameter in (metal/Wood/Concrete) 13/30/22mm Tool holder : SDS Plus Weight : 2.3 Kg <b>Scope of Supply</b> Carrying Case	Make :- Bosch, Makita, Karcher
6	<b>Table Saw</b> <b>Technical Specifications</b> HSN Code : 8467200 Max Cutting Capacity on the left : 255mm Incline setting : 47 L/2 R Power : 1800 W Saw blade diameter : 254 mm Table size : 642*634mm <b>Scope of Supply</b> Wood disc	Make :- Bosch, Makita, Karcher
7	<b>Jig Saw</b> <b>Technical Specifications</b> HSN Code : 8467200 Power input 500 W Stroke rate at no load : 800-3,100spm Cutting depth : 68mm Weight : 2.08 Kg <b>Scope of Supply</b> Wood blade, 1. Allen Key	Make :- Bosch, Makita, Karcher
8	<b>Random Orbit Sanders</b> <b>Technical Specifications</b> HSN Code : 84672900 Power input 710 W No-Load Speed : 18,000rpm Recess : 9mm Cutting Width : 82mm Max Cutting, depth : 2.6mm Weight : 2.8 Kg <b>Scope of Supply</b> Dust bag, Parallel guide Auxiliary blade	Make :- Bosch, Makita, Karcher
9	<b>BT Grinders</b> <b>Technical Specifications</b> HSN Code : 84672900 Power input 350 W No Load Speed : 3,000rpm Disc diameter 150mm Grinding disc Width: 20mm Grinding disc bore : 20mm Weight : 10 Kg <b>Scope of Supply</b> Grinding Wheel, Normal grit, Grit 24 Grinding Wheel, Normal grit, Grit 60	Make :- Bosch, Makita, Karcher

*Handwritten signature*

*Handwritten mark*





10	<b>Impact Drill</b> <b>Technical Specifications</b> HSN Code : 84672100 Rated Input Power : 600W No Load Speed : 0 - 2800 rpm Impact rate at no-load speed :0-44800 bpm Chuck Capacity : 13mm Weight : 1.8 Kg Rated Torque : 1.8 Nm <b>Scope of Supply</b> Auxiliary handle,Depth gauge,keyed chuk 13mm	<b>Make :- Bosch,Makita, Karcher</b>
----	--	--------------------------------------

  
 Dr. Rawal Singh Aulakh

  
 Head Construction Deptt.

  
 Assistant Engineer  
  
 HDM

  
 Junior Engineer  
  
 Dr. MP Singh Dhulka